



**THE PORTFOLIO OF**

*Brian Travers*

**6935 N OSCEOLA, CHICAGO IL. 60631**

**BTRAVERS@AMERITECH.NET**

**BRIANTRAVERS.COM**

**773.726.3263**

LOGO

*Brian Travers*

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263



who: Marquette University Women's Rugby  
why: Wanted a new logo for the creation of new website.  
used: illustrator



LOGO

*Brian Travers*

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263



who: The Nit Pickers

why: To make a logo that was fun but still featured the specialty of the company.

used: illustrator and photoshop



LOGO

*Brian Travers*

6935 N OSCEOLA, CHICAGO IL. 60631

BTRAVERS@AMERITECH.NET

BRIANTRAVERS.COM

773.726.3263



who: My Shirt Guy dot net

why: company wanted to state ideals of company through fun logo

used: illustrator photoshop



PRINT

# Brian Travers

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263



**CL-1000**  
Closed System Treatment

Proprietary blend of nitrite/nitrate based corrosion control compounds for ferrous metal systems. Formulated to protect against corrosion of yellow metal compounds, including Copper and Brass. Innovative additive package which:

- Employs supplemental corrosion control protection
- Utilizes polymeric dispersants which prevent scale
- Uses a dedicated iron oxide dispersant polymer which prevents under deposit corrosion pH conditioning agents which adjust system's water chemistry to be less corrosive.

**FEATURES**  
Application Rate and Control Parameters  
Application rate is approximately one gallon (10 lbs) per 100 gallons of system water or 10 gallons (100 lbs.) per 1,000 gallons (translates to 10,000 ppm as product):

- Residual control maintenance levels optimally would be 1,000 ppm of Nitrite as NO<sub>2</sub>.
- Control range of 750-1,000 ppm residual Nitrite as NO<sub>2</sub> should be used.
- Ceric Sulfate based titration methods are recommended.

Microbial control agents are recommended to be used in conjunction with CL-1000 to control biological growth. Consult your Elemental Solutions Technical Representative for specific microbial control treatment recommendations.

**SPECIFICATIONS**  
CL-5003H Cooling System Treatment

FORM	.....	Liquid
ODOR	.....	Slight Aromatic
DENSITY	.....	9.73 lbs./gallon
FREEZE POINT	.....	Approximately 32 F
SHP CLASS	.....	Corrosive Liquid, N.O.S.
COLOR	.....	Light Amber
pH	.....	12.0 +/-
SPECIFIC GRAVITY	.....	1.18
FREEZE/THAW	.....	
RECOVERY	.....	
CONTAINS	.....	Complete
HMS CODE	.....	Sodium Hydroxide/Sodium Nitrate

Refer to the MSDS for further health, safety and environmental information regarding this product. Information and recommendations in this Safety and Health Information Statement to be retained. However, the use of the product is not intended to be used in accordance with general or standard safety practice. The buyer must assume all responsibility including injury or damage, resulting from misuse of the product or safety, or in combination with other material.

**PACKAGING**  
Product

5 gallon pail	.....	CL-1000 05
15 gallon drum	.....	CL-1000 15
30 gallon drum	.....	CL-1000 30
55 gallon drum	.....	CL-1000 55

**Part Number**

**elemental SOLUTIONS, LLC**  
© 2009 ELEMENTAL, LLC

Phone: +1 224 535-1658  
E-mail: info@elementalsolutionsllc.com  
elementalsolutionsllc.com  
COPYRIGHT 2009

who: Elemental Solutions  
why: Technical Data Sheet for product line  
used: illustrator and photoshop



PRINT

Brian Travers

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263




who: Nit Pickers  
why: Label For Bottle of Nit Pickers Shampoo  
used: illustrator and photoshop



PRINT

Brian Travers

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263



who: the Idiots

why: cd artwork, photography and design for debut cd

used: illustrator and photoshop



WEB

Brian Travers

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263



who: Searls Windows and Doors

why: Needed a place for customers to fill out forms and see online showroom.

used: flash, illustrator, photoshop, dreamweaver

link: SearlsWindows.com



WEB

Brian Travers

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263


who: Edwardo's Pizza  
why: Pizzeria looking to have an online presence.  
used: illustrator, photoshop, dreamweaver  
link: EdwardosOnHalsted.com



WEB

Brian Travers

6935 N OSCEOLA, CHICAGO IL. 60631  
BTRAVERS@AMERITECH.NET  
BRIANTRAVERS.COM  
773.726.3263



who: Barton & Barton Marketing  
why: Bike enthusiast wanted custom Wordpress theme.  
used: photoshop, golive and dreamweaver  
link: BikeBlogChicago.com

